Serves both as cut valve and vent valve! **Isolate Valves** 

V-025SV



#### Summary

V-025SV isolate valve is to be connected to the inlet of rotary vane pumps. It is an automatic valve equipped with cut valve and vent valve functions and prevents backflow of pump oil due to power outage or improper operation of the vacuum systems.

#### Features

- **1.** When the rotary vane pump stops, the vacuum system is automatically cut off (vacuum locked). The pump side is then vented to prevent the pump oil from flowing back into the vacuum system.
- **2.** Since the valve uses the vacuum created by the pump as the drive source, it does not require compressed air or pipes like conventional automated valves. (The valve does not open when the pump is not operating.)
- **3.** This valve does not require any special control circuit. It can be controlled by interlocking the power supply for the built-in solenoid valve with the motor for the pump.

#### Pumping system configuration example

The installation direction of the valve is fixed. Please refer to the pumping system configuration example below to correctly connect the rotary vane pump and the vacuum system side connection. If the installation direction is wrong, the valve will not operate. Also, if the valve is not evacuated, the valve will not open even if the solenoid valve of the isolate valve is energized.



Pumping system configuration example

#### Wiring example

The wiring of the valve should be synchronized with the energizing operation to the rotary vane pump. The figure below shows an example of a protection circuit when the pump motor stops.



- · For protection, please provide a fuse in the electric circuit.
- Please use the valve within the rated voltage range(± 10%).
  Please use connectors conforming to the rated voltage
- The figure above is an example of a circuit that cynchronia
- The figure above is an example of a circuit that synchronizes the energizing operation of the valve and the pump and protects the solenoid valve valve of the isolate valve from the surge voltage generated in the main circuit of the pump motor. If necessary, provide a surge suppressor on the main circuit of the motor to reduce the surge voltage.

# Flow of operation

START Pump (The solenoid valve energized)
$\downarrow$
CLOSE Vent valve
$\downarrow$
OPEN Cut-off valve
$\downarrow$
Vacuum the system

STOP Pump (Turn off power to the solenoid valve) CLOSE Cut-off valve OPEN Vent valve Air vent only pump side

The cut-off valve and vent valve are built into an isolate valve

• Isolate valve is a valve that opens using the vacuum force of rotary vane pump. Just by energizing the solenoid valve, the isolate valve will not open.

## Specifications

Model		V-025SV-1AC	V-025SV-2AC	
Range of operating pressure		Atmospheric pressure to 10 <sup>-2</sup> Pa		
Leak amount		<5×10 <sup>-7</sup> Pa·m <sup>3</sup> /sec		
Conductance		420 L/min (Values for 20°C air in molecular flow range)		
Maintenance interval		30,000 cycles or 1 year		
Main material		Fluoro rubber O-ring: Main seal, bonnet seal, and shaft sealNitrile rubber: Piston, screw seal304 stainless steel: Body, valve, springAluminum alloy: Base, piston, air pipeSilicon grease: Shaft sealing lubricant		
Connection flange		NW25 flange		
Fluid used		Atmosphere or gas (excluding corrosive gas)		
Usage environment		Ambient temperature 10°C to 40°C		
Solenoid	Rated voltage	100V AC(50/60Hz)	200V AC (50/60Hz)	
	Starting current	0.03A	0.015A	
	Holding current	0.03A	0.015A	
	Power consumption	3W		
	Coil insulation Class	Class B (130°C)		
Dimensions		See the Dimensions diagram.		
Weight		1kg		

## Dimensions diagram





Option



Solenoid valve will be hot due to continuous energization. If it exceeds 30 ° C, or if necessary, attach a protective cover(option).

## Ordering information

Parts Number	Model	Description	Remark	Code
0190-12616	V-025SV-1AC	Isolate Valve	With NW25 flange,100V AC	31095
0190-12624	V-025SV-2AC	Isolate Valve	With NW25 flange,200V AC	31096
		Solenoid valve cover	Option (require special arrange)	31098

#### CANON ANELVA CORPORATION

Canon ANELVA Corporation is constantly improving its products, hence specifications are subject to change without notice. July 2017

# Canon ANELVA CORPORATION

Component Sales Dept. of Head Office	TEL:+81-44-980-3503	FAX:+81-44-986-4361
5-1 Kurigi 2-chome, Asao-ku, Kawasaki-shi, Kanagawa 215-8550, Japan		
Canon U.S.A., Inc	TEL:+1-408-468-2000	FAX:+1-408-468-2343
3300 North First Street San Jose, CA 95134, U.S.A.		
Canon Europa N.V.	TEL:+31-20-545-8545	FAX : +31-20-545-8222
Bovenkerkerweg 59, 1185 XB Amstelveen, The Netherlands		
Canon Semiconductor Engineering Korea, Inc.	TEL:+82-2-6445-0013	FAX:+82-2-6445-0069
Canon BS Tower,9F,607,Teheran-ro,Gangnam-gu, Seoul, 06173, Korea		
Canon Semiconductor Equipment Taiwan, Inc.	TEL:+886-3-668-6600	FAX:+886-3-668-6969
9F, No.25, Pu-Ding Road, Hsinchu, 300, Taiwan		
Canon Singapore Pte. Ltd. Anelva Products Department	TEL : +65-6799-8888	FAX : +65-6271-4226
1 HarbourFront Avenue #4-01 Keppel Bay Tower Singapore098632		
Canon Optical Industrial Equipment (Shanghai)Inc.	TEL: +86-21-2316-3200	FAX: +86-21-2316-3222
18F, Urban City Center, No.45 Nanchang Road Shanghai 200020,China		

URL:http://www.canon-anelva.co.jp/english